AUTHOR INDEX

Abbott, M. F. 503
Aggarwal, S. K. 565
Agrawal, J. P. 1

Bieber, J. A. 513
Black, D. L. 355

Cheng, W. K. 89
Coin, C. 345
Collings, N. 89
Creelman, R. A. 345

Dockter, B. A. 513
Durst, F. 165

Graboski, M. S. 125
Gupta, R. P. 345, 523
Gupta, S. K. 345

Hanson, S. P. 503
Hill, S. C. 385
Hurley, J. P. 513

Kajigaya, I. 523

Ladommatos, N. 221, 297
Leckner, B. 31, 259
Lowe, A. 345

McCormick, R. L. 125
McQuay, M. Q. 355
Melling, A. 165
Miyamae, S. 523

Nowok, J. W. 513

Peirano, E. 259
Pratsinis, S. E. 197

Rigby, J. R. 355
Ruth, L. A. 545

Smoot, L. D. 385, 409
Summers, T. 89

Tree, D. R. 355
Tsumita, Y. 523

Wall, T. F. 345, 523
Webb, B. W. 355
Weclas, M. 165
Wigley, F. 337
Williamson, J. 337
Wooldridge, M. S. 63

Xu, H. 385

Zhao, H. 221, 297

AUTHOR INDEX

Abbott, M. F. 503
Aggarwal, S. K. 565
Agrawal, J. P. 1

Bieber, J. A. 513
Black, D. L. 355

Cheng, W. K. 89
Coin, C. 345
Collings, N. 89
Creelman, R. A. 345

Dockter, B. A. 513
Durst, F. 165

Graboski, M. S. 125
Gupta, R. P. 345, 523
Gupta, S. K. 345

Hanson, S. P. 503
Hill, S. C. 385
Hurley, J. P. 513

Kajigaya, I. 523

Ladommatos, N. 221, 297
Leckner, B. 31, 259
Lowe, A. 345

McCormick, R. L. 125
McQuay, M. Q. 355
Melling, A. 165
Miyamae, S. 523

Nowok, J. W. 513

Peirano, E. 259
Pratsinis, S. E. 197

Rigby, J. R. 355
Ruth, L. A. 545

Smoot, L. D. 385, 409
Summers, T. 89

Tree, D. R. 355
Tsumita, Y. 523

Wall, T. F. 345, 523
Webb, B. W. 355
Weclas, M. 165
Wigley, F. 337
Williamson, J. 337
Wooldridge, M. S. 63

Xu, H. 385

Zhao, H. 221, 297

KEYWORD INDEX

advanced explosives 1
advanced propellants 1
advanced reburning 385
ash deposition probes 503
autoignition 565

char 355
circulating fluidized bed 259
coal combustion 355, 545
coherent anti-Stokes Raman spectroscopy 355
combustion modeling 385

diesel combustion 221
droplet ignition 565

emissions 89, 355, 545
engine 89
explosive characteristics 1

fluidized bed combustion 31
furnace ash deposits 503

global model 385

heat absorption 503
heat transfer 355
high-energy materials 1
hydrocarbon 89

incineration 545
inlet valve gap 165
instrumentation 89
internal combustion engine 165

laser induced incandescence 221
LIF 297

light extinction 221

measurements 355
mixing 31
mixture formation 297
modeling 355
municipal solid waste 545

nitric oxide 385
nitrogen oxides 31
NO_x reduction 385

optical diagnostics 221, 297

pollutant limitation 31
processing techniques 1

Raman scattering 297
Rayleigh scattering 297
reburning 385
recent trends 1
reduction 31

slagging 503
SO_2 capture 31
soot 221
soot blowing 503
spray 297
spray ignition 565
steady/unsteady flow 165

temperature 355
turbulent gas–solid flows 259
two-colour method 221

U.S. DOE programs 545

SUBJECT INDEX

AC *see* availability coefficient
Acceleration 141–142
ACERC *see* Advanced Combustion Engineering Research Center
ACIRL test 346
Activation energy 519–521
ADPs *see* ash deposition probes
Advanced Combustion Engineering Research Center (ACERC) 413–419
Aerosols 478
AFT *see* ash fusion temperatures
Air pollution 462, 483–484, 489
  see also emissions
Air staging, FBC 37–38
Air toxins, biodiesel 160
Air/fuel ratio 112–114, 305–313, 321–322
Al_2O_3, flame aerosol synthesis 212–214
Alabama Power/EPRI boiler modeling 458
Aldehydes, biodiesel 161
Amino groups, thermal stability 2
Ash
  see also fly ash
  fusion 345–352
  oxide distribution 530–533
  research 478
  viscosity 533–535
Ash deposition
  see also deposition indices
  CCSEM of minerals in coal 523–542
  combustion environment 525
  CRC-NTPGFLRC research 431
  low temperatures 513–521
  probes (ADPs) 505
  research 484–485
  strength development 513–521
Autoignition
  constant volume enclosure 583
  heated air flow injected sprays 583–585
  liquid fuel sprays 581–590
  shock tube sprays 585–587
  theoretical and computational studies 587–590
Availability coefficient (AC) 536

Binary collisions 266–267
Biodiesel 125–162
  air toxins 160
  aldehydes 161
  cetane number 131–132
  chemical composition 129–131
  combustion properties 131–134
  distillation temperatures 134
  economics of manufacture 127–129
  emissions 146–161
  engine endurance 142–146
  engine performance 140–146
  flash point 132–134
  flow properties 135–137
  fuel standard 139–140
  gum number 138–139
  heat of combustion 134–135
  history 126–127
  iodine number 138
  lubricity 143, 146
  microbial activity 139
  NO_x emissions 156–159
  oxidative stability 138–139
  PAH 160–161
  smoke opacity 159–160
  SOF 160
  specific gravity 134
  stability 137–139
  storage 137–139
  surface tension 137
  viscosity 137
  water absorption 139
Biomass, co-firing 471
2,6-Bis(picrylamino)-3,5-dinitropyridine (PYX) 6
Black liquor 478
Boilers
  burner research 470–471
  industrial retrofit 455–456
  IVD research 461
Boundary conditions 286–288
Brigham Young University (BYU) 355–381
Broad range growth models 80–83
Burner Club (CBPE) 457
Burners
  combustion modeling 476–477
  IFRF research 470–471
  low NO_x 455
BYU *see* Brigham Young University

Cage compounds 12–15
Calcium, CFB 37
Calibration
  FFID 103–105
  LIF 317–318
  LII 250
  SRS 310–311
  two-colour method 226–227
CARS *see* Coherent Anti-Stokes Raman Spectroscopy
Casting, explosives 24
Catalytic reduction of NO_x 455
CCSEM *see* computer controlled scanning electron microscopy
Cement kilns 472
Center of Heat and Mass Transfer in Radiating and Combusting Systems (CRCS) 419–427
Ceramic powders 197–216
Cetane number 131–132
CFB *see* circulating fluidized beds
Char particles
  burning model 536
  mineral matter diffusion 539–540
  temperature 536
Char/coal blends, NO_x 368–369
Chemistry
  gas-phase 84–85
  gaseous emission components 477–478
Circulating fluidized beds (CFB)
  fluid dynamics 39–43
  SKLECCC research 488–489
  turbulent gas–solid flows 259–294
Closure models 274–277
Co-firing, MSW, coal and biomass 471, 560–561
Coal
  ash 345–352, 513–521, 560
  blends 368–369, 453–454, 471
  CCSEM 526–529
  characterization 436–437, 470
  combustion
    ash utilization and disposal 560
    co-firing with MSW 560–561
    combustion equipment 548–549
    computer codes 553
    emissions 553–560
    environmental concerns, CSIRO research 444–445

international research centers 409–492
MSW comparison 545–563
physical models 553
processes 551–553
composition 550
heating values 550
matter reactions 437–438
micronized 453
mineral matter 524–525
pulverized
ash generation processes 338
CCSEM analysis 337–343
co-firing with biomass and MSW 471
coalescence 338, 341
combustion
CPR 361–365, 369–379
CRCS 423–427
research 486–488
fly-ash modeling 337–343
swirl-stabilized flames 469–470
Coal Research and Development Program 561–562
Coal-water
benefication 430
slurry fuel (CWSF) 450–453
Coalescence, pulverized coal 338, 341
Coherent Anti-Stokes Raman Spectroscopy (CARS) 366, 368
Collisional rate of change 265–266
Combustion-ESP pilot plant 503–505
Combustors, fluidized beds 33–35
Commonwealth Scientific and Industrial Research Organisation (CSIRO) 439–445
Computational modeling, spray ignition 591–594
Computer-controlled scanning electron microscopy (CCSEM)
coal ash deposition 523–542
coal test data 527–529
data limitations 342
pulverized coal 337–343
technique 526–527
Condensation
FFID problems 102–103
pulverized coal 338
Continuous phase fluctuations 281–285
boundary conditions 286
low Reynold's number k_1–ϵ_1 models 284–285
model choice 282
second-order velocity moment transport equation 282–283
two-equation model (k_1–ϵ_1) 283–284
two-way coupling 281–282
Controlled profile reactor (CPR)
CARS temperature measurement 366, 368
combustion experiments 356–369
description 357–359
experimental measurements 355–381
gas temperature 374
heat fluxes 375–376
instrumentation 359–360
natural gas combustion 360–361
particle-cloud temperature 374–375
particles 376, 377–379
pulverized coal combustion 361–365, 369–379
species concentrations 377–379
transmission 377
Cooperative Research Centre for Black Coal Utilization (CRC-BCU) 433–439
Cooperative Research Centre for New Technologies for Power Generation from Low-Rank Coal (CRC-NTPGFLRC) 427–433
CPR *see* controlled profile reactor
CRC-BCU *see* Cooperative Research Centre for Black Coal Utilization
CRC-NTPGFLRC *see* Cooperative Research Centre for New Technologies for Power Generation from Low-Rank Coal
CRCS *see* Center of Heat and Mass Transfer in Radiating and Combusting Systems
CSIRO *see* Commonwealth Scientific and Industrial Research Organisation
CSIRO test 346–347
CWSF *see* coal-water slurry fuel

Data analysis, two-colour method 227–228
Deposition indices
based on raw CCSEM data 529–536
based on thermodynamic calculations 536–541
comparison with experimental data 540
conventional 525–526
3,3′-Diamino-2,2′,4,4′,6,6′-hexanitrodiphenyl (DIPAM) 5
Diesel engines
2-D soot imaging 250–253
biodiesel combustion 125–162
FFID exhaust measurements 121–122
light extinction 237–244
soot and temperature measurement 221–254
two-colour method application 233–235
Diesel spray visualization 327–328
DINGU *see* dinitroglycoluril
4,4′-Dinitro-3,3′-bifurazan (DNBF) 15, 17
Dinitroglycoluril (DINGU) 21
DIPAM *see* 3,3′-Diamino-2,2′,4,4′,6,6′-hexanitrodiphenyl
2,5-Dipicryl-1,3,4-oxadiazole (DPO) 6
Direct fuel/air ratio measurement from LIF (FARLIF) 321–322
Discharge coefficient, valve gap 177–178
DNBF *see* 4,4′-Dinitro-3,3′-bifurazan
Dopants, LIF 315
DPO *see* 2,5-Dipicryl-1,3,4-oxadiazole
Droplet size, spray ignition 574–577
Dual Wavelength Laser Extinction/Absorption (LEA) technique 330–333
Durability studies, biodiesel 142–143
Dynamometer studies 147–156

Early time particle growth models 83
Education program
ACERC 417–418
CRC-NTPGFLRC 433
Elastomer compatibility, biodiesel 143
Electrical resistance, AFT 349
Emissions
see also NO_x; SO_x
coal combustion 553–560
diesel engines 146–161
FBC 54–56
gaseous chemistry 477–478
greenhouse gases 445
hydrocarbons from exhaust 118–119
MSW 553–560
PAH 160–161
particulates 458, 559–560
regulations 146–147
trace elements 445, 557–559
trace organic compounds 556–557
Energetic binders 17–20
Energy
equation 268
MSW/coal comparison 545–563
Energy and Environmental Research Center (EERC) 445–450
Energy Institute (Penn State) 450–456
Engines
see also diesel engines; internal combustion engines
endurance 142–146
flow simulators 168–169
heads 170
non-steady flow test rig 171–172, 184–186
performance 140–146
spark ignition 116–121, 318–321, 328–330
steady flow test rig 170–171, 177–184

Environmental concerns
see also emissions
air pollution and quality 462
coal combustion 444–445
CRC-BCU research 438
greenhouse gases 445
pollutant formation and control 483–484, 489
sorbent injection 454–455
toxic heavy metals 483–484
Equilibrium calculations 537–538
Equivalence ratio 574–577
Eulerian model 274–275
Eutectic temperature 535–536
Evaporation, fuel sprays 332–333
Excess air, FBC 37
Excluded minerals 538
Exhaust gases
diesel engines 121–122
SI engines 116–121
utilization 471
Explosives
energetic binders 17–20
heat-resistant 2–7
high-performance 7–15
insensitive high (IHES) 20–22
melt-castable 15–17
nitrogen pentoxide synthesis 23–24
processing techniques 24–25
External source spray ignition 567–580
droplet size 574–577
equivalence ratio 574–577
flowing two-phase mixtures 571–574
multicomponent fuel sprays 577–580
quiescent two-phase mixtures 568–571
versus spontaneous ignition 590–591
Extinction *see* light extinction

FARLIF *see* fuel/air ratio measurement from LIF
Fast-response flame ionisation detector (FFID) 89–122
automotive development 93
calibration 103–105
condensation problems 102–103
diesel exhaust measurements 121–122
ideal behaviour deviation 94–96
in-cylinder sampling 106–108, 111–116
intake flow measurements 108–111
operation 93–94
origins 93
performance 96–101
pressure fluctuation isolation 101–102
SI engine exhaust measurements 116–121
signal compensation 106
typical setting 106
working experience 101–108
Fat based fuels 125–162
Fatty acid ester fuels *see* biodiesel
FBC *see* fluidized bed combustion
FFID *see* fast-response flame ionisation detector
Fibre optic laser-Doppler anemometer 174–176
Fines 540–541
Flame aerosol technology
Al_2O_3 synthesis 212–214
applications 208–215
ceramic powder synthesis 197–216
fundamentals 202–208
historic development 200–202
nanocomposite ceramic powder synthesis 214–215
non-oxide ceramic powder synthesis 215
particle growth 205–206
particle morphology 206–208
process description 204–205
SiO_2 synthesis 208–211
TiO_2 synthesis 211–212
Flame ionisation detector (FID)
detector characteristics 90–91
fast-response 89–122
oxygen interference 92–93
variable responses 91–92
Flame temperature, two-colour measurement 222–223, 228–233
Flow properties, biodiesel 135–137
Flow rate, IC engine 172
Flow reference area, valve gap 177–178
Flow separation in IC engines 165–193
engine flow simulators 168–169
engine heads 170
fixed valve offset 178–182
influencing factors 190–193
measurement techniques 172–176
non-steady flow test rig 171–172, 184–186
steady flow test rig 170–171, 177–184
valve gap analysis 176–190
variable valve offset 182–183
Flow simulators, engines 168–169
Flow visualisation, oil streak technique 172, 174
Flowing two-phase mixtures, ignition 571–574
Fluid dynamics, FBC 39–46
Fluid–particle fluctuations
closure models 274–277
drift velocity 280
Maxwell–Boltzmann type equation 278–280
transport equations 277–281, 282–283
velocity correlation tensor 280–281
Fluidized bed combustion (FBC)
see also circulating fluidized bed (CFB)
applications 32–39
combustion 39–46
combustors 33–35
emission reduction 54–56
fluid dynamics 39–46
international research 422–423, 431–432, 454, 485, 488–489
mixing 31–57
N_2O 54–56
NO_x 51–54
pollutant limitation 31–57
SO_2 capture 46–51
Fly ash
CCSEM modeling 337–343
coal minerals comparison 338–339
environmental concerns 444
generation processes 338
Fouling, coal ash fusion temperatures 345–352
Four-stroke engines 152–156, 165–193
see also diesel engines; internal combustion engines; spark ignition engines
Fuel
see also spray ignition
atomization characterization 322–333
biodiesel combustion 125–162
coal-water slurry 450–453
concentration measurements 298–322, 300–305
droplet concentration 323–330, 330–333
economy, biodiesel effect 140–141
FBC 38–39
lubricity 143, 146
solid fuel mixing 43–44
sprays 332–333, 577–580
standard, biodiesel 139–140
vapour concentration 323–330, 330–333
vapourization, characterization 322–333
Fumed silica, synthesis 208–211
Furnaces
combustion modeling 476–477
water-wall slag deposition testing 503–510
Fusion 338, 349–351
see also ash fusion temperatures

GAP *see* glycidyl azide polymer
Gas
  see also natural gas
  mixing 44–46
  reburn composition 400–401
  temperature, CPR 374
  tri-cogeneration with heat and power 489
Gas-phase chemistry 84–85
Gas-phase combustion synthesis 63–85
  electric field effects 77–78
  experimental investigations 64–80
  mixed-oxide system 78–80
  modeling 80–85
  non-oxide systems 66, 74–75
  single oxide systems 75–77
Gas–solid flows
  see also turbulent gas–solid flows
  classification 264
Gasification 430, 442–444
Glass-melting furnaces 472–473
Glycidyl azide polymer (GAP) 18
Grad's theory 268–269
Granular flow 264–274
Greenhouse gases 445
Gum number 138–139

Harwell (AEA) Combustion Centre (HCC) 456–458
Harwell Coal Combustion Programme (HCCP) 458
Heat of combustion, biodiesel 134–135
Heat fluxes, CPR 371–372, 375–376
Heat transfer, FBC 35–36
Heat Transfer and Fluid Flow Service (HTFS) 457
Heat-resistant explosives 2–7
Heating values, coal and MSW 550–551
Heavy metals 483–484
High performance explosives 7–15
High-energy materials 1–25
HRL test 346
HTFS *see* Heat Transfer and Fluid Flow Service
Hydrocarbons 115–116, 118–119

IC engines *see* internal combustion engines
Ideal behaviour, FFID 94–96
IFRF *see* International Flame Research Foundation
Ignition
  see also spray ignition
  flowing two-phase mixtures 571–574
  multicomponent fuel sprays 577–580
  quiescent two-phase mixtures 568–571
IHES *see* insensitive high explosives
In-cylinder measurements
  FFID 106–108, 111–116
  optical diagnostics 221–254, 297–335
Incineration, MSW 545–563
Included minerals 538–539
Incremental pressing, explosives 25
Indices, ash deposition 525–526, 529–541
Injection velocity, reburning 403–404
Inlet valves, flow separation in IC engines 165–193
Insensitive high explosives (IHES) 20–22
Institute of Process Engineering and Power Plant Technology (IVD) 458–463
Intake flow measurements, FFID 108–111
Internal combustion (IC) engines
  fuel vapour concentration measurement 298–322
  in-cylinder optical diagnostics 297–335
  inlet valve flow separation 165–193
  LEA 332–333
  LIF 315
  LRS 302–305
  mixture formation measurements 297–335
  SRS 311–313
International Flame Research Foundation (IFRF) 463–474
Iodine number 138
Iron industry 472
IVD *see* Institute of Process Engineering and Power Plant Technology

Kinetic theory 264–274
KL factor, soot concentration 223–224

Laser Extinction/Absorption (LEA) technique
  evaporating fuel sprays 332–333
  IC engine application 332–333
  implementation 331–333
  principle 330–331
Laser Induced Exciplex Fluorescence (LIEF)
  diesel spray visualisation 327–328
  fuel vapour concentration 324–327
  PLIEF 324, 328–330
  principle 323–324
Laser Induced Fluorescence (LIF)
  calibration 317–318
  dopant selection 315
  fuel concentration measurement 313–321
  IC engine application 315
  image processing 317–318
  PLIF 315, 317, 318–321
  principle 313–315
Laser induced incandescence (LII) 244–250
Laser Rayleigh scattering (LRS)
  background light minimization 302
  fuel concentration measurements 300–305
  IC engine application 302–305
  implementation 302
  principle 300–301
Laser-Doppler anemometer 174–176
LEA *see* Laser Extinction/Absorption technique
LIEKKI Combustion and Gasification Research Program 474–479
Light extinction
  diesel engine application 237–244
  implementation 236–237
  principles 235–236
Light scattering, soot diagnostics 235–244
LII *see* laser induced incandescence
Linear theory (Jenkins and Richman) 269–271
Liquid fuel sprays, autoignition 581–590
Low NO_x burners 455
Low Reynold's number k_1–ϵ_1 models 284–285

Mathematical simulation models 473
Maxwell–Boltzmann equation 265, 278–280
Melt casting 24
Melt phase 541
Melt-castable explosives 15–17
Methyl Tris-X 15
Microbial activity, biodiesel 139
Micronized coal 453
MIDCOM *see* multidimensional diagnostic imaging for combustion
Mineral–mineral associations 339–340
Minerals
  ash viscosity 533–535
  coal 524–525
  eutectic temperature 535–536
  excluded 538
  included 538–539
  oxides in ash 530–533
  PSD 524, 529
  reactions 438
Mixed-oxide system, gas-phase combustion synthesis 78–80
Mixing, fluidized bed combustion 31–57
Mixture formation measurements, IC engines 297–335
Multicomponent fuel sprays 577–580

Multidimensional diagnostic imaging for combustion (MIDCOM) 458
Municipal solid waste (MSW) 545–563
  composition 550–551
  heating values 550–551
  incineration
    ash utilization and disposal 560
    co-firing 471, 560–561
    emissions 553–560
    equipment 549–550
    process 551–553
    R&D priorities 562
Municipal Waste Program 562

N^2,N^4,N^6-tripicrylmelamine (TPM) 5
N_2O 54–56, 484
Nanocomposite ceramic powders 214–215
National Coal Combustion Laboratory (NCCL) 480–486
Natural gas
  CPR combustion 360–361
  firing for glass-melting furnaces 472–473
  flame scaling 468–469
NCCL *see* National Coal Combustion Laboratory
Nitrated HTPB 18–19
Nitrogen pentoxide 23–24
Nitrotriazolone (NTO) 21
Non-oxide ceramics 66, 74–75, 215
2,2′,2″,4,4′,4″,6,6′,6″-Nonanitroterphenyl (NONA) 6–7
NO_x emissions
  biodiesel 156–159
  biomass-based material reduction 455
  catalytic reduction 455
  char/coal blends 368–369
  coal combustion 555–556
  control through reburning 385–405
  CSIRO research 445
  de-NO_x 484
  destruction 392–398, 484
  FBC 51–54
  formation 392–398, 484
  low NO_x burners 455
  MSW incineration 555–556
NTO *see* nitrotriazolone

Oil streak technique, flow visualisation 172, 174
ONTA *see* oxynitrotriazole
Optical diagnostics
  CPR temperature measurements 366, 368
  mixture formation measurements 297–335
  soot and temperature measurements 221–254
Oxidative stability, biodiesel 138–139
Oxides, ash deposition 530–533
Oxidized coal 453–454
Oxygen, FID interference 92–93
Oxynitrotriazole (ONTA) 21

PAH *see* poly-aromatic hydrocarbons
Pair distribution function 267
Particle-cloud temperature, CPR 374–375
Particles
  behaviour research 478
  burnout, CPR 377–379
  counter size velocimeter (PCSV) probe 372–373
  sintering, ash deposits 516–519
  size, reburning 400
  size distribution (PSD) 524, 529
  sticking, ash deposits 514–515
  synthesis, gas-phase combustion 63–85
Particulate emissions 458, 559–560
PCSV *see* particle counter size velocimeter
Piston engines *see* internal combustion (IC) engines
Planar Laser Induced Exciplex Fluorescence (PLIEF) 324, 328–330
Planar Laser Induced Fluorescence (PLIF) 315, 317, 318–321
PNPs *see* polynitropolyphenylenes
Pollutants
  see also environmental concerns
  formation and control 483–484, 489
  limitation, FBC 31–57
Poly-aromatic hydrocarbons (PAH) 160–161
Polydisperse suspensions 292–293
Poly(GLYN) 20
Poly(NIMMO) 19–20
Polynitropolyphenylenes (PNPs) 17–18
Power, gas and heat tri-cogeneration 489
Pressure
  drop 35, 172
  FBC 38
  fluctuation isolation, FFID 101–102
  spray ignition effects 597
Process engineering 461–462
Propellants, energetic binders 17–20
Pulverized coal
  ash generation processes 338
  CCSEM analysis 337–343
  co-firing with biomass and MSW 471
  coalescence 338, 341
  combustion
    CPR 361–365, 369–379
    CRCS 423–427
    research 486–488
  fly-ash modeling 337–343
  swirl-stabilized flames 469–470
Pyrolysis, CSIRO research 440–442
PYX *see* 2,6-Bis(picrylamino)-3,5-dinitropyridine

Quiescent two-phase mixtures, ignition 568–571

Radial distribution function 272–273
Radial velocity gradient 186–190
Reburning
  injection velocity 403–404
  measurements 389–392
  mechanisms 392–394
  model applications 398–405
  NO_x control 385–405
  particle size 400
  predictive methods 394–398
  rates 392–394
  reaction parameters 399–400
  reburn gas composition 400–401
  technologies 386–389
Regulations, diesel emissions 146–147
Research centers, international 409–492
Residence time, FBC 37
Residual gas fraction, in-cylinder measurement 114

Salt formation, thermal stability 3
Scaling 468–470
Scattering *see* light scattering
SF_5 11
Shock tube sprays, autoignition 585–587
Shrinkage, AFT 347–351
Signal-to-noise ratio, SRS 309–310
Silica *see* SiO_2
Single oxide systems, synthesis 75–77
SiO_2, flame aerosol synthesis 208–211
SKLECCC *see* State Key Laboratory of Efficient and Clean Combustion of Coal
Slag deposition 503–510
Slagging, coal ash fusion temperatures 345–352
Smoke opacity, biodiesel 159–160
SO_2 capture, FBC 46–51
SOF *see* soluble organic function
Solid fuel mixing 43–44
Solid-state cameras, temperature measurement 232–233

Soluble organic function (SOF) 160
Soot diagnostics
  2-D imaging 244–253
  light scattering 235–244
  optical techniques 221–254
  particle sizing 240–244, 250
  two-colour method 223–224, 228–233
SO_x
  CSIRO research 445
  de-SO_x 484
  SO_2 capture 46–51
Spark ignition (SI) engines 116–121, 318–321, 328–330
Species concentrations, CPR 377–379
Specific gravity, biodiesel 134
Spontaneous ignition 590–591
Spontaneous Raman Scattering (SRS)
  air/fuel ratio measurement 305–313
  background radiation 309–310
  calibration 310–311
  data analysis 310–311
  IC engine application 311–313
  implementation 307, 309
  principle 305–307
  signal-to-noise ratio 309–310
Spray ignition 565–599
  autoignition 581–590
  computational modeling 591–594
  dominant modes 594–595
  equivalence ratio 574–577
  external source 567–580
  future research 590–597
  optimum droplet size 574–577
  pressure effects 595–597
State Key Laboratory of Efficient and Clean Combustion of Coal (SKLECCC) 486–489
Steel industry 472
Suction pyrometer 371
Surface tension, biodiesel 137
Swirl-stabilized pulverized coal flames 469–470

TACOT *see* tetranitro dibenzo-1,3a,4,4a-tetraazapentalene
Tangential boilers 470–471
Tchen's theory 274, 275–276
Temperature
  biodiesel 134, 135–137
  coal ash deposit strength development 513–521
  eutectic 535–536
  FBC 37
  measurement 221–254, 366, 368
Ternary phase diagrams 528–529
Tetranitro dibenzo-1,3a,4,4a-tetraazapentalene (TACOT) 5–6
Thermally stable explosives 2–7
Time constant, FFID 99–101
Time scales 263–264
TiO_2, flame aerosol synthesis 211–212

TNAD *see* trans-1,4,5,8-tetranitro-1,4,5,8-tetraazadecalin
TNAZ *see* 1,3,3-Trinitroazetidine
Toxic heavy metals 483–484
TPM *see* N^2,N^4,N^6-tripicrylmelamine (TPM)
Trace elements 445, 557–559
Trace organic compounds 556–557
Trans-1,4,5,8-tetranitro-1,4,5,8-tetraazadecalin (TNAD) 21
Transit time, FFID 96–99
Transmission, CPR 373–374, 377
Transport equations 267–268, 277–281, 282–283
Tri-cogeneration, gas, heat and power 489
Triazole ring condensation, thermal stability 3–4
1,3,3-Trinitroazetidine (TNAZ) 15
Tris-X 15
2,4,6-Tris(picvylamino)-1,3,5-triazine explosives 5
Turbine exhaust gas utilization 471
Turbulent gas–solid flows 259–294
  boundary conditions 286–288
  CFB combustor application 291–292
  continuity equation 267
  continuous phase fluctuations 281–285
  discrete phase fluctuations 285–286
  fluid–particle fluctuations 274–281
  fluidization application 289–291
  kinetic theory of granular flow 264–274
  model usefulness 288–289
  polydisperse suspensions 292–293
Two-colour method 222–235
  accuracy 228
  calibration 226–227
  data analysis 227–228
  diesel engine application 233–235
  film imaging 228–232
  flame temperature measurement 222–223, 228–233
  full-field temperature measurement 232–233
  implementation 224–228
  KL factor and soot concentration 223–224, 228–233
  α selection 224
  wavelength selection 224–226
Two-dimensional soot imaging 244–253
Two-equation model (k_1–ϵ_1) 283–284, 285
Two-stroke engines 147–152
  see also diesel engines
Two-way coupling 281–282

Valve gap, flow separation analysis 176–190
Vapourisation, pulverized coal 338
Vegetable oil based fuels *see* biodiesel
Viscosity 137, 533–535
Volatile loss, pulverized coal 338

Wall-fired boilers 470–471
Waste *see* municipal solid waste (MSW)
Water absorption, biodiesel 139
Water-wall slag deposition testing 503–510

Printed and bound in Great Britain by BPC Wheatons Ltd, Exeter

AVAILABLE AT YOUR FINGERTIPS...

THE ELSEVIER SCIENCE CATALOGUE ON THE INTERNET

Features include:

ELSEVIER SCIENCE

Catalogue on INTERNET

- ORDER YOUR **FREE** SAMPLE COPY OF *JOURNAL/ BOOK TITLE* TODAY BY CHECKING ITS CATALOGUE ENTRY

Other features include:-

- All the journals, with complete information about journal editors and editorial boards
- Listings of special issues and volumes
- Listings of recently published papers for many journals
- Complete descriptions and contents lists of book titles
- Clippings of independent reviews of published books
- Book series, dictionaries, reference works
- Electronic and CD-ROM products
- Full text search facilities
- Ordering facilities
- Print options
- Hypertext links
- Alerting facility for new & forthcoming publications
- Updated monthly

TRY IT TODAY!

http://www.elsevier.nl/

For further queries please contact:-

Customer Support Department
Tel: +1 (212) 633 3730
Fax: +1 (212) 633 3680
E-mail: usinfo-f@elsevier.com

Customer Support Department
Tel: +31 (20) 485 3757
Fax: +31 (20) 485 3432
E-mail: nlinfo-f@elsevier.nl

ELSEVIER SCIENCE

Catalogue on INTERNET

CO815/P6

ELSEVIER | PERGAMON | NORTH HOLLAND | EXCERPTA MEDICA



TENTH INTERNATIONAL CONFERENCE ON COAL SCIENCES

Prospect for Coal Science in the 21st Century

September 12-17, 1999
Taiyuan, Shanxi, People's Republic of China

Sponsored by	The International Energy Agency
Hosted by	State Key Laboratory of Coal Conversion Institute of Coal Chemistry, Chinese Academy of Sciences
Assisted by	Taiyuan University of Technology

TOPICS

- Fundamentals and General Aspects
- Combustion and Conversion Science
- Chemicals and Materials from Coal
- Coal Preparation and Beneficiation
- Environment Aspects

PROGRAM

- 5 parallel sessions for oral presentations
- One or more poster sessions
- Social events
- Technical Tours
- Accompanying Persons Program

Deadline for submission of abstracts:	October 31, 1998
Notification of acceptance for oral or poster presentation:	February 10, 1999
Deadline for submission of full manuscript:	April 30, 1999

Conference and Registration Office
Mr. Lixin Zhou
10th ICCS Secretariat
Institute of Coal Chemistry, Chinese Academy of Sciences
P.O. Box 165, Taiyuan, Shanxi, 030001, P.R. China
Tel/Fax: +86-351-4048967 E-mail: iccs99@ms.sxicc.ac.cn
Website: www.sxicc.ac.cn

BACK ISSUES OF THIS JOURNAL

SAVE UP TO 25% BY PURCHASING COMPLETE SETS

Customers wishing to purchase complete sets can do so at a saving of 25% off the individual volume price.

MICROFORM EDITIONS

Back issues in microform of Elsevier Science research journals are also available. For further information please apply to your nearest Elsevier Science office.

BACK ISSUES PRICE LIST

Full details of the rates of back issues of all Elsevier Science journals can be found in our Back Issues Price List. Please contact your nearest Elsevier Science office for a copy.

Back issues of this and all other Elsevier Science journals are available in hard copy. New subscribers to a journal may purchase back issues of that publication in hard copy edition at 25% discount off the standard price. Elsevier Science maintains stocks of back issues and orders may be placed with confidence at your nearest Elsevier Science office. Should any issue of a volume be temporarily out of stock at the time of ordering, a high quality photoduplicated copy will be supplied at no extra charge to complete your order.

Regional Sales Offices

For customers in Europe, Middle East and Africa
Elsevier Science, Regional Sales Office, Customer Support Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands
Tel: (+31) 20 485 3757, Fax: (+31) 20 485 3432, E-mail: nlinfo-f@elsevier.nl

For customers in the United States & Canada
Elsevier Science, Regional Sales Office, Customer Support Department, P.O. Box 945, New York, N.Y. 10159-0945, U.S.A.
Tel: (+1) 212 633 3730, Toll Free number for North-American customers: 1-888-4ES-INFO (437-4636), Fax: (+1) 212 633 3680
E-mail: usinfo-f@elsevier.com

For customers in Japan
Elsevier Science, Regional Sales Office, Customer Support Department, 9-15 Higashi-Azabu, 1-chome, Minato-ku, Tokyo, 106-0044 Japan
Tel: (+81) 3 5561 5033, Fax: (+81) 3 5561 5047, E-mail: info@elsevier.co.jp

For customers in Asia and Australasia
Elsevier Science, Regional Sales Office, Customer Support Department, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192
Tel: (+65) 434 3727, Fax: (+65) 337 2230, E-mail: asiainfo@elsevier.com.sg

For customers in Latin America
Elsevier Science, Regional Sales Office, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil
Tel: (+55) 21 509 5340, Fax: (+55) 21 507 1991, E-mail: elsevier@campus.com.br

CO815/P4